

## **In the Claims**

Please cancel Claims 13-20 and 27-31 without prejudice or disclaimer as to the subject matter recited therein.

1. (Original) A system comprising:  
a network including a plurality of computing nodes;  
a plurality of replicas of an object, wherein the plurality of replicas are stored on a first plurality of the nodes;

wherein the network includes a first node operable to initiate an update operation to update the plurality of replicas of the object, wherein said updating the plurality of replicas of the object comprises updating a subset but not all of the replicas;

wherein for each node on which one of the replicas was updated in the update operation, the node is operable to add the object to a list of incoherent objects.

2. (Original) The system of claim 1,  
wherein said initiating the update operation to update the plurality of replicas of the object comprises initiating an update operation to attempt to update all of the replicas;  
wherein only the subset of the replicas are updated because one or more of the replicas are unreachable.

3. (Original) The system of claim 1,  
wherein said updating the subset of the replicas includes updating a first replica, wherein the first replica is stored on a second node;  
wherein after said adding the object to the list of incoherent objects, the second node is operable to attempt to communicate with all the replicas of the object;  
wherein if all the replicas of the object are reachable then the replicas that were not in the subset of replicas that were updated are synchronized with the replicas that were updated.

4. (Original) The system of claim 3,

wherein said updating the subset of the replicas includes applying a first change to each replica in the subset of the replicas;

wherein said synchronizing the replicas that were not in the subset of replicas that were updated with the replicas that were updated comprises applying the first change to each replica that was not in the subset.

5. (Original) The system of claim 4,  
wherein after said synchronizing, each node in the subset of replicas that were updated is operable to remove the object from its list of incoherent objects.

6. (Original) The system of claim 3,  
wherein the list of incoherent objects on the second node includes a plurality of objects, wherein each object has a plurality of replicas, wherein the plurality of replicas for each object are stored on a plurality of nodes;

wherein for each object in the list of incoherent objects on the second node, the second node is operable to attempt to communicate with all the replicas of the object to synchronize the replicas.

7. (Original) The system of claim 3,  
wherein the second node is operable to periodically perform said attempting to communicate with all the replicas of the object.

8. (Original) The system of claim 7,  
wherein if said periodically attempting to communicate with all the replicas of the object has not succeeded after a first amount of time has passed, the second node is operable to initiate an operation to create one or more new replicas of the object to replace one or more unreachable replicas of the object.

9. (Original) The system of claim 1,  
wherein for each node on which one of the replicas was updated in the update operation, the list of incoherent objects on the node is stored in persistent storage;

wherein for each node on which one of the replicas was updated in the update operation, said node adding the object to its list of incoherent objects does not include changing the list of incoherent objects in persistent storage;

wherein for each node on which one of the replicas was updated in the update operation, the node is operable to periodically update its list of incoherent objects in persistent storage to reflect new additions to the list.

10. (Original) The system of claim 1,  
wherein the plurality of replicas of the object comprises a plurality of persistent replicas of the object.

11. (Original) The system of claim 1,  
wherein said initiating the update operation to update the plurality of replicas of the object comprises initiating a distributed transaction to update at least a quorum of the replicas;

wherein said updating the subset of the replicas comprises updating a quorum of the replicas.

12. (Original) The system of claim 1,  
wherein said updating the subset of the replicas comprises applying a change to data in each replica in the subset.

13-20. (Cancelled)

21. (Original) A carrier medium comprising program instructions executable to implement the method of:

storing a plurality of replicas of an object on a plurality of nodes;

a first node initiating an update operation to update the plurality of replicas of the object, wherein said updating the plurality of replicas of the object comprises updating a subset but not all of the replicas; and

for each node on which one of the replicas was updated in the update operation, the node adding the object to a list of incoherent objects.

22. (Original) The carrier medium of claim 21, wherein said initiating the update operation to update the plurality of replicas of the object comprises initiating an update operation to attempt to update all of the replicas; wherein only the subset of the replicas are updated because one or more of the replicas are unreachable.

23. (Original) The carrier medium of claim 21, wherein said updating the subset of the replicas includes updating a first replica, wherein the first replica is stored on a second node; wherein after said adding the object to the list of incoherent objects, the second node is operable to attempt to communicate with all the replicas of the object; wherein if all the replicas of the object are reachable then the replicas that were not in the subset of replicas that were updated are synchronized with the replicas that were updated.

24. (Original) The carrier medium of claim 23, wherein the second node is operable to remove the object from its list of incoherent objects after said synchronizing.

25. (Original) The carrier medium of claim 23, wherein the second node is operable to periodically perform said attempting to communicate with all the replicas of the object.

26. (Original) The carrier medium of claim 25, wherein if said periodically attempting to communicate with all the replicas of the object has not succeeded after a first amount of time has passed, the second node is operable to initiate an operation to create one or more new replicas of the object to replace one or more unreachable replicas of the object.

27-31. (Cancelled)